

SMMSi / SHRMi VRF Indoor Unit MMD-AP0964H2UL - High Static Duct

TOSHIBA
Carrier

Submittal Data

Job Data _____ Location _____
 Buyer _____ Buyer PO # _____ Carrier # _____
 Unit Number _____ Model Number _____
 Performance Data Certified By _____ Date _____



SMMSi / SHRMi VRF High Static Ducted Features

- R-410A Refrigerant
- Five sizes from 30,000 to 96,000 Btu/h
- Rear return
- 208/230 V PSC (Permanent Split Capacitor) motor
- Optional wired or wireless controls
- Five-year parts limited warranty

Indoor Unit Model	MMD-AP0964H2UL	
PERFORMANCE		
Cooling Rated Capacity	Btu/h	96,000
Heating Rated Capacity	Btu/h	108,000
Fan Type (Qty)		Centrifugal (3)
Airflow, Standard Range	CFM	2005-2935
Sound Pressure, 208 V (L / M / H)	dBA	47 / 49 / 51
Sound Pressure, 230 V (L / M / H)	dBA	50 / 51 / 53
External Static Pressure, 208 V (L / M / H*)	in. wg	0.062 / 0.317 / 0.739
External Static Pressure, 230 V (L / M / H*)	in. wg	0.459 / 0.734 / 1.099
ELECTRICAL		
Power Supply	V/Ph/Hz	208-230/1/60
Power Consumption (208/230 V)	kW	1.20/1.63
Full Load Amps (FLA)	A	8.34
Minimum Circuit Amps (MCA)	A	10.43
Maximum Overcurrent Protection (MOCP)	A	15

MOTOR		
Motor Type	208/230 V, 3 Tap, PSC	
Motor Watts		1110
PHYSICAL DATA		
Pipe Connection Size - Liquid (High Pressure)	in.	1/2 (Flare)
Pipe Connection Size - Gas (Low Pressure)	in.	7/8 (Flare)
Pipe Connection Size - Drain (OD)	in.	1-1/4
Pipe Connection Size - Drain (ID)	in.	1
Refrigerant	R-410A	
External Finish	Zinc Hot Dipped Steel Plate	
Unit Width	in.	54-5/16
Unit Height	in.	18-1/2
Unit Depth	in.	49-3/16
Unit Net Weight	lb	353

*Low, Medium, High Taps. Medium Tap set from factory.

ACCESSORIES (Optional)

- Lite Vision Plus Remote Controller (7-Day Programmable) RBC-AMS51E-ES
- Simple Wired Remote Control RBC-AS41UL
- Remote Sensor TCB-TC41LUL
- Wired Remote Controller RBC-AMT32UL

Manufacturer reserves the right to discontinue, or change at any time, specifications or designs without notice and without incurring obligations.

DIMENSIONAL DRAWING INDOOR UNIT HIGH STATIC DUCT MMD-AP0964H2UL

